



# E-ROUND



## Bun divider rounder

E-Round is a bun divider rounder with an automatic, semi-automatic or manual oscillating plate, improved in its aesthetic and ergonomic qualities, functionality and safety as well. It is suitable for dividing and rounding all kinds of dough in order to achieve round buns of variable weight, without affecting the rising process of kneading dough. Through a slight motion of the forming plate, buns can be perfectly shaped by adjusting manually both intensity of pressing and time of making buns according to the kind of dough to be worked.

### Standard features

- Painted steel structural frame on wheels.
- Aluminium structure for dividing and forming group, Teflon outer paneling and stainless steel blades.
- Three rounding interchangeable plates made of non-toxic material (standard supply).
- Plate-holder for plates made of aluminium.
- Dividing, pressing and rounding through a noiseless hydraulic system.

### Accessories

- Additional plastic rounding plates.
- Additional cutting mechanism (for automatic version only)

**IMPORTANT NOTE:** Along with Version A (automatic), groups of additional blades can be purchased by customers to allow flexibility of the machine use. Blade replacement can be carried out by customers themselves autonomously; no assistance of a technician is needed.

### MODELS



|                                                  |                                                                                                       |
|--------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| E-ROUND AUTOMATICA/<br>AUTOMATIC E-ROUND         | Automatic bun divider rounder<br>Available for the following divisions: 3-30 3-52 4-14 4-30 4-36      |
| E-ROUND SEMIAUTOMATICA/<br>SEMIAUTOMATIC E-ROUND | Semi-automatic bun divider rounder<br>Available for the following divisions: 3-30 3-52 4-14 4-30 4-36 |
| E-ROUND MANUALE/<br>MANUAL E-ROUND               | Manual bun divider rounder<br>Available for the following divisions: 3-30 3-52 4-14 4-30 4-36         |



## SPEZZATRICE ARROTONDATRICE AUTOTOMATICA E-ROUND A

NOR16I003

## E-ROUND AUTOMATIC BUN DIVIDER ROUNDER



## DATI TECNICI/TECHNICAL DATA

|                                                           |    |               |
|-----------------------------------------------------------|----|---------------|
| POTENZA/POWER                                             | Kw | 1,3           |
| ALTEZZA DI CARICO/LOADING HEIGHT                          | mm | 1120          |
| INGOMBRI/DIMENSIONS                                       | mm | 705x625xh1759 |
| CONNESSIONE ELETTRICA / PLUG COUPLING                     |    | 3PH+Gr        |
| MASSA/MASS                                                | Kg | 410           |
| INGOMBRO IMBALLO (PALLET) / PACKAGING DIMENSIONS (PALLET) | mm | 750x750xh1890 |
| MASSA IMBALLO (PALLET) / PACKAGING MASS                   | Kg | 430           |

## DIVISIONI / DIVISIONS

|      |      |      |      |      |
|------|------|------|------|------|
| 3-30 | 3-52 | 4-14 | 4-30 | 4-36 |
|------|------|------|------|------|

## PESO TIPO 3/xx - WEIGHT TYPE 3/xx

|                   | 3-30                           | 3-52 |
|-------------------|--------------------------------|------|
| Capacità/Capacity | "peso approx./ approx. weight" |      |
| 900 g             | 30                             | 17   |
| 1320 g            | 44                             | 25   |
| 1740 g            | 58                             | 33   |
| 2160 g            | 72                             | 42   |
| 2580 g            | 86                             | 50   |
| Max               | Max                            | Max  |

## PESO TIPO 4/xx - WEIGHT TYPE 4/xx


|                   | 4-14                           | 4-30 | 4-36 |
|-------------------|--------------------------------|------|------|
| Capacità/Capacity | "peso approx./ approx. weight" |      |      |
| 1200 g            | 86                             | 40   | 33   |
| 1500 g            | 111                            | 52   | 43   |
| 1900 g            | 136                            | 63   | 53   |
| 2250 g            | 161                            | 75   | 63   |
| 2600 g            | 186                            | 87   | 72   |
| 2950 g            | 211                            | 98   | 82   |
| 3300 g            | 236                            | 110  | 92   |
| 3650 g            | 261                            | 122  | 101  |



## SPEZZATRICE ARROTONDATRICE SEMI-AUTOMATICA E-ROUND SA

NOR16I002\_01

## E-ROUND SA SEMI-AUTOMATIC BUN DIVIDER ROUNDER



## DATI TECNICI/TECHNICAL DATA

|                                                           |    |                 |
|-----------------------------------------------------------|----|-----------------|
| POTENZA/POWER                                             | Kw | 1,3             |
| ALTEZZA DI CARICO/LOADING HEIGHT                          | mm | 1120            |
| INGOMBRI/DIMENSIONS                                       | mm | 707,5x625xh1759 |
| CONNESSIONE ELETTRICA / PLUG COUPLING                     |    | 3PH+Gr          |
| MASSA/MASS                                                | Kg | 400             |
| INGOMBRO IMBALLO (PALLET) / PACKAGING DIMENSIONS (PALLET) | mm | 750x750xh1890   |
| MASSA IMBALLO (PALLET) / PACKAGING MASS                   | Kg | 430             |

## DIVISIONI / DIVISIONS

| 3-30 | 3-52 | 4-14 | 4-30 | 4-36 |
|------|------|------|------|------|
|------|------|------|------|------|

## PESO TIPO 3/xx - WEIGHT TYPE 3/xx

|                   | 3-30                           | 3-52 |
|-------------------|--------------------------------|------|
| Capacità/Capacity | "peso approx./ approx. weight" |      |
| 900 g             | 30                             | 17   |
| 1320 g            | 44                             | 25   |
| 1740 g            | 58                             | 33   |
| 2160 g            | 72                             | 42   |
| 2580 g            | 86                             | 50   |
| Max               | Max                            | Max  |

## PESO TIPO 4/xx - WEIGHT TYPE 4/xx


|                   | 4-14                           | 4-30 | 4-36 |
|-------------------|--------------------------------|------|------|
| Capacità/Capacity | "peso approx./ approx. weight" |      |      |
| 1200 g            | 86                             | 40   | 33   |
| 1500 g            | 111                            | 52   | 43   |
| 1900 g            | 136                            | 63   | 53   |
| 2250 g            | 161                            | 75   | 63   |
| 2600 g            | 186                            | 87   | 72   |
| 2950 g            | 211                            | 98   | 82   |
| 3300 g            | 236                            | 110  | 92   |
| 3650 g            | 261                            | 122  | 101  |



## SPEZZATRICE ARROTONDATRICE MANUALE E-ROUND M

NOR16I001

## E-ROUND M MANUAL BUN DIVIDER ROUNDER



## DATI TECNICI/TECHNICAL DATA

|                                                           |    |               |
|-----------------------------------------------------------|----|---------------|
| POTENZA/POWER                                             | Kw | 0,55          |
| ALTEZZA DI CARICO/LOADING HEIGHT                          | mm | 914           |
| INGOMBRI/DIMENSIONS                                       | mm | 705x625xh2161 |
| CONNESSIONE ELETTRICA / PLUG COUPLING                     |    | 3PH+Gr        |
| MASSA/MASS                                                | Kg | 400           |
| INGOMBRO IMBALLO (PALLET) / PACKAGING DIMENSIONS (PALLET) | mm | 750x750xh1600 |
| MASSA IMBALLO (PALLET) / PACKAGING MASS                   | Kg | 430           |

## DIVISIONI / DIVISIONS

|      |      |      |      |      |
|------|------|------|------|------|
| 3-30 | 3-52 | 4-14 | 4-30 | 4-36 |
|------|------|------|------|------|

## PESO TIPO 3/xx - WEIGHT TYPE 3/xx

|                   | 3-30                           | 3-52 |
|-------------------|--------------------------------|------|
| Capacità/Capacity | "peso approx./ approx. weight" |      |
| 900 g             | 30                             | 17   |
| 1320 g            | 44                             | 25   |
| 1740 g            | 58                             | 33   |
| 2160 g            | 72                             | 42   |
| 2580 g            | 86                             | 50   |
| Max               | Max                            | Max  |

## PESO TIPO 4/xx - WEIGHT TYPE 4/xx

|                   | 4-14                           | 4-30 | 4-36 |
|-------------------|--------------------------------|------|------|
| Capacità/Capacity | "peso approx./ approx. weight" |      |      |
| 1200 g            | 86                             | 40   | 33   |
| 1500 g            | 111                            | 52   | 43   |
| 1900 g            | 136                            | 63   | 53   |
| 2250 g            | 161                            | 75   | 63   |
| 2600 g            | 186                            | 87   | 72   |
| 2950 g            | 211                            | 98   | 82   |
| 3300 g            | 236                            | 110  | 92   |
| 3650 g            | 261                            | 122  | 101  |