



CPC - CPL



according
to norm
EN 453
rev. 2015

Divider

Vacuum divider with short or long conveyor belt. One or two piston machine. Available in the automatic version.

Standard Features

- Stainless steel cylinder
- Electronic speed regulation
- Electronic weight adjustment
- 30 kg hopper with Teflon coating
- Independent motorized conveyor belt
- Petrol green ribbon
- Electronic piece counter
- Power supply 400 volts/3PH/50-60Hz
- Stainless steel casing
- "AI" touch screen (without arm)
- Under carpet scraper
- Single cylinder size 900/2500 pcs/h
- Twin cylinder size 1800/5000 pcs/h

Option and cutting rollers

- Pressure hopper
- Extractor roller
- Flour duster with adjustment of the quantity of flour released
- Additional lubrication for drum with tap
- "Start and stop" pushbutton panel for remote control and power take-off
- White ribbon
- Compressed air extraction system
- Two-channel rolling device (standard on mode. CPL)
- Connectable

MODELS


CPC 1P	1 piston short belt divider
CPC 2P	2-piston short belt divider
CPL 1P	1 piston long belt divider
CPL 2P	2-piston long belt divider

CYLINDER SIZE (mono/bi-cylindrical)	from Ø 60 to 150
HOPPER	30-80-120-160-200-300



MODELLO/ MODEL		PESO MACCHINA WEIGHT	Ø PISTONE PISTON Ø	PEZZATURA WEIGHT		PEZZI/ORA HOUR PRODUCTION	
CPC	CPL		mm	min	max	min	max
			Ø 60	20	220	900	2500
			n° 2 Ø 60			1800	5000
			n° 2 Ø 80	30	370		
			Ø 80				
			Ø 100	50	700		
			Ø 110	70	850		
			Ø 120	90	1000		
			Ø 130	130	1200		
			Ø 140	170	1400		
			Ø 150	200	1650		

MODELLO/ MODEL	POTENZA MOTORE	POTENZA MOTORE	FREQUENZA DI FUNZIONAMENTO / OPERATING FREQUENCY	ALLACCIAMENTO ELETTRICO/ POWER SUPPLY PALLWEIGHT
CPC	2.2	0.25	50/60 HZ	400V 3PH+N+Gr with five-pole plug 16A
CPL	2.2	0.25	50/60 HZ	



STANDARD




STANDARD
TOUCH SCREEN
PANEL




STANDARD
SCRAPER



Properties of Esmach Ali Group S.r.l. - reproduction prohibited




COMPRESSED AIR
EXTRACTION SYSTEM
(OPTIONAL)



SFARINATORE
(OPTIONAL)



N.B.
THE PHOTOS INDICATED
ABOVE ARE TO BE
CONSIDERED WITH THE COLOR
OF THE CARPET
PRESENT IN THE IMAGE ON
THE LEFT



ADDITIONAL
LUBRICATION FOR THE
DRUM
(OPTIONAL)

EXTRACTOR
ROLLER
(OPTIONAL)



MOTORIZED
ROUNDER TABLE
140 CM






MOTORIZED DOUBLE
V-CHANNEL TABLE.



CPC

CPC - CPL - DIVIDER



CPL

